

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	"file" and "differential decoding" and "packet" and (transmit or transmitter) and (reconstruct or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L2	4	"file" and "preferential encoding" and "packet" and (block or blocks) and (priority or "higher priority") and (reconstruct or reconstructed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L3	1518	(channel or "open channel") and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L4	45	"open channel" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L5	0	("open channel" NEAR packet) and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L6	687	"probability" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L7	464	"probability" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing) and "subset"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L8	8	"probability" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing) and (random NEAR subset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L9	0	"decoding" and "packet" and (file or "data file") and (("setting up" or "set up") NEAR equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55

L10	0	"decoding" and "packet" and (file or "data file") and (("setting up" or "set up") NEAR equation) and "reconstruct"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L11	1054	"decoding" and "packet" and (file or "data file") and "reconstruct" and "memory"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L12	0	"decoding" and "packet" and (file or "data file") and "reconstruct" and (memory NEAR equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L13	0	"decoding" and "packet" and (file or "data file") and "reconstruct" and (memory NEAR (equation or "set of equations"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L14	39	"decoding" and "packet" and (file or "data file") and "reconstruct" and "memory" and ((equation or "set of equations") NEAR (solve or solving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L15	2	("6073250").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:00
L16	2	("6081909").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:01
L17	38	"decoding" and "encoding" and "packet" and (file or "data file") and "reconstruct" and "memory" and ((equation or "set of equations") NEAR (solve or solving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L18	355	(file or "data file") and "block" and "subset" and (reconstruct or reconstructed or recontruction) and "probability" and "inclusion" and "packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56

L19	3	(file or "data file") and "block" and "subset" and (reconstruct or reconstructed or recontruction) and "probability" and "inclusion" and "packet" and "a-priori"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L20	1	(file or "data file") and "block" and "subset" and (reconstruct or reconstructed or recontruction) and "probability" and (inclusion NEAR packet) and "a-priori"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L21	1	"encoding" and (file or "data file") and (FEC or "forward error correction") and (overcome NEAR "error rate")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L22	0	"encoding" and ("expected error rate" or "error rate") and (file or "data file") and (FEC or "forward error correction") and (overcome NEAR "error rate") and (storage or "storage media")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:57
L23	30101	((370/474) or (370/464) or (370/389) or (370/468) or (370/470) or (370/32.1) or (370/32) or (370/314) or (370/313-316) or (370/221) or (370/216) or (370/254) or (370/225) or (370/227) or (370/242) or (370/244) or (370/228) or (370/238) or (370/289) or (375/244) or (375/267) or (375/347) or (375/8) or (375/9) or (375/27) or (375/39) or (375/48) or (375/51) or (375/56) or (375/58) or (379/410) or (379/411) or (379/93) or (379/97) or (379/98) or (341/50) or (341/51) or (341/60) or (341/173) or (709/231) or (709/241) or (709/238) or (709/239) or (709/244) or (709/243) or (709/204) or (714/746) or (714/776) or (714/22) or (714/710) or (714/784) or (714/781) or (714/755) or (714/15) or (714/756) or (714/6) or (714/49) or (714/7) or (714/54) or (714/764) or (714/766) or (714/767) or (714/701)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:53

L24	6	L23 and "file" and "differential decoding" and "packet" and (transmit or transmitter) and (reconstruct or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L25	4	L23 and "file" and "preferential encoding" and "packet" and (block or blocks) and (priority or "higher priority") and (reconstruct or reconstructed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L26	203	L23 and (channel or "open channel") and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L27	11	L23 and "open channel" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L28	0	L23 and ("open channel" NEAR packet) and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:54
L29	86	L23 and "probability" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L30	53	L23 and "probability" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing) and "subset"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L31	2	L23 and "probability" and "encoding" and "packet" and (block or blocks) and "file" and (reconstruct or reconstructed or reconstructing) and (random NEAR subset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L32	0	L23 and "decoding" and "packet" and (file or "data file") and ("setting up" or "set up") NEAR equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L33	0	L23 and "decoding" and "packet" and (file or "data file") and ("setting up" or "set up") NEAR equation) and "reconstruct"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55

L34	0	L23 and "decoding" and "packet" and (file or "data file") and "reconstruct" and (memory NEAR equation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L35	135	L23 and "decoding" and "packet" and (file or "data file") and "reconstruct" and "memory"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L36	0	L23 and "decoding" and "packet" and (file or "data file") and "reconstruct" and (memory NEAR (equation or "set of equations"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:55
L37	8	L23 and "decoding" and "packet" and (file or "data file") and "reconstruct" and "memory" and ((equation or "set of equations") NEAR (solve or solving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L38	8	L23 and "decoding" and "encoding" and "packet" and (file or "data file") and "reconstruct" and "memory" and ((equation or "set of equations") NEAR (solve or solving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L39	24	L23 and (file or "data file") and "block" and "subset" and (reconstruct or reconstructed or reconstruction) and "probability" and "inclusion" and "packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L40	1	L23 and (file or "data file") and "block" and "subset" and (reconstruct or reconstructed or reconstruction) and "probability" and (inclusion NEAR packet) and "a-priori"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L41	3	L23 and (file or "data file") and "block" and "subset" and (reconstruct or reconstructed or reconstruction) and "probability" and "inclusion" and "packet" and "a-priori"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56
L42	1	L23 and "encoding" and (file or "data file") and (FEC or "forward error correction") and (overcome NEAR "error rate")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:56

L43	0	L23 and "encoding" and ("expected error rate" or "error rate") and (file or "data file") and (FEC or "forward error correction") and (overcome NEAR "error rate") and (storage or "storage media")	US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB	OFF	2005/12/05 15:57
L44	1	L23 and "file" and "bucket" and (segment or segmentation or segmenting) and "block" and "subset" and "packet" and "cross packet"	US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB	OFF	2005/12/05 15:57
S10 0	1	"file" and "bucket" and (segment or segmentation or segmenting) and "block" and "subset" and "packet" and "cross packet"	US-PGPUB; OR USPAT; EPO; JPO; DERWENT; IBM_TDB	OFF	2005/12/05 15:57